- M1. (a) 1. Gives rise to new plants / plantlets;
 - So must be able to develop into different tissues / other specialised cell types / differentiate; *1. Ignore references to leaves / callus*

2

2

2

1

[7]

- (b) Two marks for 5 : 1/50 : 10/1 : 0.2;;
 One mark for ratio correctly identified but expressed incorrectly as 1 : 5 / 10 : 50 / 0.2 : 1;
- (c) (i) 1. Meiosis / independent assortment / crossing over;
 - 2. (Fusion of) genetically different gametes / random fertilisation;
 - (ii) Will be clones / produced by mitosis / will be genetically identical / less variation / all plants will have desired characteristics;
 If the reference is to identical must be genetically identical, but allow less variation without the reference to genetical.

M2. Essay Using DNA in science and technology

DNA and classification

- 2.2 Structure of DNA
- 2.3 Differences in DNA lead to genetic diversity
- 2.9 Comparison of DNA base sequences

Genetic engineering and making useful substances

- 2.5 Plasmids
- 5.8 The use of recombinant DNA to produce transformed organisms that benefit humans

Other uses of DNA

- 2.5 Cell cycle and treatment of cancer
- 5.8 Gene therapy;

Medical diagnosis and the treatment of human disease;

The use of DNA probes to screen patients for clinically important genes.

M3. (a) Will replace themselves / keep dividing / replicate;

Undifferentiated / can differentiate / develop into other cells / totipotent / multipotent / pluripotent; Accept tissues

(b) Reverse transcriptase; Allow phonetic spelling

1

2

(c) (i) Alters base / nucleotide sequence / causes frame shift;

Different sequence of amino acids in polypeptide / protein / primary structure alters the tertiary structure;

Accept any reference, such as adding bases, to changing the base sequence of the gene. Reject deletion / substitution. Idea of sequence essential so not makes different amino acids.

Accept answers involving stop / start codons and effect on protein.

2

(ii) Affects tumour suppressor gene;

Inactivates (tumour suppressor) gene;

Rate of cell division increased / tumour cells continue to divide; Ignore answers relating to oncogenes. May gain third point.

2 max

(d) Yes

SCID patients unlikely to survive / quality of life poor unless treated; Cancer that develops is treatable / only affects 25% / five children;

No

Risk of developing cancer is high / 25%; Cancer may recur / may not be treated successfully in future / only short time scale so more may develop cancer;

> No mark for yes or no. Marks are for supporting argument based on biological reasoning. Accept any points

2 max