

- M1.(a)**
1. Cut (DNA) at same (base) sequence / (recognition) sequence;
Accept: cut DNA at same place
 2. (So) get (fragments with gene) **R** / required gene.
Accept: 'allele' for 'gene' / same gene
- 2
- (b)
1. Each has / they have a specific base sequence;
 2. That is complementary (to allele r or R).
Accept description of 'complementary'
- 2
- (c)
1. Fragments L from parent rr, because all longer fragments / 195 base pair fragments;
Ignore: references to fragments that move further / less, require identification of longer / shorter or 195 / 135
Accept: (homozygous) recessive
 2. Fragments N from parent RR, because all shorter fragments / 135 base pair fragments;
1 and 2 Accept: A3 for 195 and A4 for 135
2. Accept: (homozygous) dominant
 3. (M from) offspring heterozygous / Rr / have both 195 and 135 base pair fragments.
Accept: have both bands / strips
Reject: primer longer / shorter
- 3
- (d)
1. (Cells in mitosis) chromosomes visible;
 2. (So) can see which chromosome DNA probe attached to.
- 2
- (e) (i)
1. For comparison with resistant flies / other (two) experiments / groups;
Ignore: compare results / data / no other factors
 2. To see death rate (in non-resistant) / to see effect of insecticide in non-resistant / normal flies.

Accept: 'pesticide' as 'insecticide'

Accept to see that insecticide worked / to see effect of enzyme

2

- (ii) (PM must be involved because)
1. Few resistant flies die (without inhibitor);
 2. More inhibited flies die than resistant flies;
 3. (PM) inhibited flies die faster (than resistant flies);
- (Other factors must be involved because)
4. Some resistant flies die;
 5. But (with inhibitor) still have greater resistance / die slower than non-resistant flies.

Accept: (with inhibitor) die slower than non-resistant flies

4 max

[15]

M2.(a) Reverse transcriptase;

1

- (b) 1. Probe (base sequence) complementary (to DNA of allele A / where A is (and) binds by forming base pairs / hydrogen bonds;

Accept gene A

2. So (only) this DNA labelled / has green dye / gives out (green) light;

Accept glows for green light

2

- (c) (i) 1. More probe binding / more cDNA / mRNA / more allele / gene A means more light;
2. DNA (with **A**) doubles each (PCR) cycle;
3. So light (approximately) doubles / curve steepens more and more (each cycle) / curve goes up exponentially / increases even faster;

3

- (ii) (**G** because)

1. (Heterozygous) only has half the amount of probe for **A** attaching /

only half the amount of DNA / allele A (to bind to);
Accept only one A to bind to

2. (So,) only produced (about) half the light / glow / intensity (of **H**)
(per cycle of PCR);
If reference to 'half' for point 1, allow 'less light' in 2.

2

[8]

- M3.** (a) (i) 1. Negative correlation;
Accept: description for 'negative correlation'
Neutral: 'correlation'
Reject: positive correlation
2. Wide range;
3. Overlap;
4. (Graph suggests that) other factors may be involved (in age of onset);
2 / 3 Accept the use of figures from the graph
2 / 3 Can refer to age of onset or number of CAG repeats
Ignore references to methodology

3 max

- (ii) 1. Age of onset can be high / symptoms appear later in life;
Accept: 'gene' for 'allele'
2. (So) individuals have already had children / allele has been passed on;

OR

3. Individuals have passed on the allele / already had children;
4. Before symptoms occur;

2 max

- (b) (i) 1. Person **K**;
2. (As has) high(est) band / band that travelled a short(est) distance /
(er) so has large(st) fragment / number of CAG repeats;
Must correctly link distance moved and fragment size

2

- (ii) Run fragments of known length / CAG repeats (at the same time);
Accept: references to a DNA ladder / DNA markers
Do not accept DNA sequencing

1

- (iii) Homozygous / (CAG) fragments are the same length / size / mass;
Accept: small fragment has run off gel / travelled further

1

[9]

- M4.** (a) (i) To cut the DNA;
Reject breakdown, cutting out

1

- (ii) To separate the (pieces of) DNA;

1

- (b) Complimentary base sequence / complementary DNA; binds to both (haplotypes);

Label would show up in both;
Idea of complimentarity required

2

- (c) (i) Y chromosome inherited / comes from male parents / only found in males;

1

- (ii) Mitochondria in egg / female gamete / no mitochondria come from sperm / male gamete;

1

- (d) (i) Allows comparison;
Different (sized) areas covered;

2

(ii) Wolves do not eat all of prey animal / do not eat (large) bones / skin;
Inedible parts make up different proportions / wolf eats different proportions;

2

(e) Limited by food / prey; as prey increases so do wolf numbers / positive correlation;

Large range so other factors involved;

2

[12]