As concentration increases the amount of heat given out increases / temperature **M1**.(a) increases (M1) Any order. Ignore references to an exothermic reaction. 1 More successful collisions or reactions in a given time **OR** more particles have the activation energy (M2) Allow could be a second / n<sup>th</sup> order reaction. 1 (An increase in temperature or more heat given out) increases the rate of a reaction (M3) 1 (b) The magnesium is coated with an oxide / MgO (M1) Allow magnesium hydroxide. 1 MgO / the coating / the corrosion product has to be removed before Mg will react **OR** Mg and MgO / the coating / the corrosion product react at different rates OR Initially MgO / the coating / the corrosion product reacts not Mg (M2) Ignore inert coating. 1 (c) Any **two** from: Any order. Slower with hot water or faster with steam The hot water produces Mg(OH)<sub>2</sub> / the hydroxide **OR** steam produces MgO / the oxide (Slow) bubbling with hot water **OR** bright white light / flame / white solid with steam 2 max (d) Magnesium sulfate is soluble <u>and</u> calcium sulfate is insoluble / slightly soluble / magnesium sulfate is more soluble / calcium sulfate is less soluble / correct trend in solubility (M1)

Any order.

M1 requires a comparison of the two solubilities.

Calcium sulfate coats the surface of the calcium (M2)

Coating prevents further contact with / reaction by the acid (M3)

'Calcium sulfate forms a protective coating' scores M2 only.

[10]

3

**M2.**(a) (i) Change in concentration (of a substance / reactant / product) in unit time / given time / per (specified) unit of time

This may be written mathematically **OR** may refer to the gradient of a graph of <u>concentration</u> / <u>volume</u> against <u>time</u>

OR

Amount of substance formed / used up in unit time / given time / per (specified) unit of time

Ignore additional information including reference to collisions

1

(ii) At W

M1 (QoL)

The rate / it is zero

M2

The <u>magnesium</u> has all reacted / has been used up Ignore reference to the acid being used up

OR

No more collisions possible between acid and Mg

OR

Reaction is complete / it has stopped

OR

No more hydrogen / product is produced

2

(iii) M1

Twice / double as many particles / hydrogen ions (in a given volume)

Penalise reference to (hydrochloric acid) molecules in M1

Penalise reference to "HCl particles" in M1

OR

Twice / double as much hydrochloric acid

M2

<u>Twice / double</u> as many <u>effective / successful collisions</u> (in a given time)

OR

<u>Twice / double</u> as many collisions with either <u>sufficient</u> energy to react OR with  $E \ge E$ <sub>a</sub>

OR

double the successful / effective collision frequency

2

(b) (i) The activation energy is the minimum energy for a reaction to go / start

OR

Minimum energy for a successful/ effective collision

1

- (ii) M1 Products lower than reactants on the profile Mark independently
  - M2 Activation energy (*E*<sub>a</sub>) shown and labelled correctly from reactants to peak of curve

    Mark independently

2

(c) (i) Ba + 
$$2H_2O$$
 Ba(OH)<sub>2</sub> +  $H_2$ 

Ba +  $2H_2O$  Ba<sup>2+</sup> +  $2OH^-$  +  $H_2$ 

Allow multiples

Ignore state symbols

1

- (ii) M1 Ba<sup>2+</sup> + SO<sub>4</sub><sup>2-</sup> BaSO<sub>4</sub>

  Ignore state symbols in **M1**Not multiples in **M1** 
  - M2 White precipitate / solid

    Extra ions must be cancelled

    Penalise contradictory observations in M2

2

- (iii) M1 Barium meal / barium swallow / barium enema

  Accept a correct reference to M1 written in the explanation in

  M2, unless contradictory
  - OR used in X-rays OR to block X-rays OR X-ray contrast medium OR CT scans
  - M2 BaSO₄ / barium sulfate is insoluble (and therefore not toxic)

    For M2 NOT barium ions

    NOT barium

    NOT barium meal and NOT "It"

    Ignore radio-tracing

[13]

**M3.**(a) (If any factor is changed which affects an <u>equilibrium</u>), the (position of) <u>equilibrium</u> will <u>shift / move</u> so as to <u>oppose</u> / <u>counteract the change</u>.

Must refer to <u>equilibrium</u>
Ignore reference to "system" alone
A variety of wording will be seen here and the key part is the last phrase

OR

(When a system / reaction in <u>equilibrium</u> is disturbed), the (position of) <u>equilibrium</u> shifts / moves in a direction which tends to <u>reduce the disturbance</u>

An alternative to shift / move would be the idea of <u>changing / altering the position</u> of equilibrium

1

(b) (i) M1
A substance that <u>speeds up the reaction / alters the rate</u> but is <u>chemically</u>

		unchanged at the end / not used up  Both ideas needed for M1  Credit can score for M1, M2 and M3 from anywhere within the answer	
		M2 Catalysts provide an alternative route / alternative pathway / different mechanism	
		M3 that has a <u>lower activation energy</u> / <u>E</u> <sub>s</sub>	
		OR lowers the activation energy / E <sub>a</sub>	3
	(ii)	(Time is) less / shorter / decreases / reduces  Credit "faster", "speeds up", "quicker" or words to this effect	1
	(iii)	None	1
(c)	(i)	R	1
	(ii)	Т	1
	(iii)	R	1
	(iv)	P	1
	(v)	Q	1 [11]

## M4. (a) Award in either order for curve

"Steeper" requires line to be on the left of the original line, starting from the origin

M1 curve is steeper than original and starts at the origin

M2 curve levels at the top line on the graph

2

## (b) Award in either order for curve

"Shallower" requires line to be on the right of the original line, starting from the origin

M1 curve is shallower than original and starts at the origin

**M2** curve levels at the first line on the graph

2

(c) M1 curve would be steeper than original

"Steeper" requires line to be on the left of the original line, starting from the origin

**M2** curve levels at the same original volume of O<sub>2</sub>

2

(d) **M1** The (concentration / amount of) H<sub>2</sub>O<sub>2</sub> or reactant falls / decreases / used up Mark independently

OR

The number of H<sub>2</sub>O<sub>2</sub> or reactant molecules/ particles falls / decreases

**M2** 

The <u>rate</u> of reaction / <u>rate</u> of decomposition / <u>rate</u> of formation of oxygen / <u>frequency of collisions</u> / (effective) <u>collisions in a given time</u> decreases / is slower

2

(e) (i)  $2H_2O_2 \rightarrow 2H_2O + O_2$ 

Ignore state symbols

Accept only this equation or its multiples

1

(ii) hydrogen bromide / it does not appear in the overall equation

OR

hydrogen bromide / it is not  $\underline{\text{used up}}$  in the reaction /  $\underline{\text{unchanged at the end}}$  of the reaction

OR

hydrogen bromide / it is regenerated / re-formed (in Step 2)

[10]

1