





Question	er	Mark	Guidance
1 (a)	$2\text{NaOH} + \text{Cl}_2 \rightarrow \text{NaClO} + \text{NaCl} + \text{H}_2\text{O}$ ✓	1	ALLOW NaOCl IGNORE state symbols
(b) (i)	Sodium chlorate(V) ✓	1	ALLOW sodium chlorate V DO NOT ALLOW sodium chlorate 5
(ii)	<p>Cl in NaClO_3 is (+)5 AND Cl in NaClO_4 is (+)7 AND Cl in NaCl is -1 ✓</p> <p>Chlorine has been both oxidised and reduced OR The oxidation number of chlorine has increased AND decreased ✓</p> <p>Chlorine has been oxidised from (+)5 to (+)7 AND chlorine has been reduced from (+)5 to -1 ✓ (These points would secure marking points 2 and 3)</p> <p>$4\text{NaClO}_3 \rightarrow 3\text{NaClO}_4 + \text{NaCl}$</p>  <p>This diagram gets all 3 marks</p>	<p>1</p> <p>USE annotations with ticks, crosses, con, ECF, etc for this part.</p> <p>ALLOW 5+, 7+ 1- Look for oxidation numbers seen above equation. DO NOT ALLOW Cl⁻ in NaCl</p> <p>1</p> <p>The second and third marking points must refer to chlorine ALLOW 'it' for 'chlorine' if oxidation numbers of chlorine are given ALLOW Cl for 'chlorine' DO NOT ALLOW Cl₂ for 'chlorine'</p> <p>1</p> <p>ALLOW 'correct' references to oxidation and reduction even if based on incorrect oxidation numbers of chlorine IGNORE references to electron loss / gain if correct. DO NOT ALLOW 3rd mark for reference to electron loss/gain</p> <p>If oxidation numbers are correct, ALLOW 1 mark for 'chlorine is oxidised to form NaClO₄' ALLOW 1 mark for 'chlorine is reduced to form NaCl'</p> <p>ALLOW one mark for 'disproportionation is when a species is both oxidised and reduced' whether or not chlorine is mentioned</p>	
(c) (i)	<p>Chlorinated hydrocarbons are carcinogens OR toxic OR Chlorine is toxic OR poisonous ✓</p> <p>(Chlorine) kills bacteria OR 'kills germs' 'kills micro-organisms' OR 'makes water safe to drink' OR 'sterilises water' OR 'disinfects' ✓</p>	<p>1</p> <p>1</p>	<p>ALLOW CH₃Cl for 'chlorinated hydrocarbons' IGNORE 'harmful' IGNORE 'carcinogenic' for chlorine</p> <p>DO NOT ALLOW 'antiseptic' ALLOW 'to make water potable' ALLOW 'removes' for 'kills' IGNORE 'virus' IGNORE 'purifies water' IGNORE 'cleans water'</p>

Question		er	Mark	Guidance
1	(c) (ii)	<p>Electron pairs in covalent bonds shown correctly using dots and crosses in a molecule of CH₃Cl AND lone pairs correct on Cl ✓</p> 	1	<p>Must be 'dot-and cross' ALLOW different symbol for third 'type' of electron Circles for outer shells not needed IGNORE inner shells</p> <p>Non-bonding electrons of chlorine do not need to be shown as pairs</p>
	(iii)	Tetrahedral OR tetrahedron ✓	1	
	(d)	<p>Add AgNO₃(aq) OR Ag⁺(aq) OR silver nitrate OR AgNO₃ ✓</p> <p>White precipitate ✓</p> <p>Ag⁺ + Cl⁻ → AgCl ✓</p> <p>Add dilute NH₃ and precipitate (completely) dissolves OR disappears ✓</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	<p>ALLOW Ag⁺(aq) seen in the ionic equation IGNORE references to nitric acid IGNORE references to adding water or dissolving the brine DO NOT ALLOW references to any other additional reagent as well as the silver nitrate for the first mark</p> <p>White AND precipitate required DO NOT ALLOW hint of any other colour IGNORE 'turns grey' ALLOW solid as alternative for precipitate</p> <p>IGNORE states</p> <p>DO NOT ALLOW conc. NH₃ DO NOT ALLOW any mention of incomplete dissolving ALLOW (for 4th mark) 'add Cl₂(aq)' AND 'no colouration would be seen' OR 'no change' OR 'no reaction'</p>
Total			13	

Question			Expected Answers	Marks	Additional Guidance
2	(a)	(i)	Potassium AND argon ✓	1	ALLOW K and Ar
		(ii)	They are arranged in increasing atomic number OR Neither would show properties OR trends of rest of group OR Neither would show properties OR trends of rest of period OR They are arranged by electron configuration ✓	1	ALLOW any correct property difference e.g. This would place a reactive metal in the same group as noble gases ALLOW they do not fit in with the rest of the group
	(b)	(i)	$2\text{Mg} + \text{O}_2 \rightarrow 2\text{MgO}$ ✓	1	ALLOW multiples. Correct species must be seen IGNORE state symbols
		(ii)	Fizzes OR bubbles OR gas produced OR effervescing ✓ Mg dissolves OR Mg disappears OR a solution is formed ✓	2	DO NOT ALLOW 'carbon dioxide gas produced' DO NOT ALLOW 'hydrogen produced' without 'gas' ALLOW 'it for Mg' IGNORE Mg reacts IGNORE temperature change IGNORE steam produced
		(iii)	Quicker OR more vigorous OR gets hotter	1	MUST be a comparison of a reaction observation, not just 'more reactive' ALLOW any comparison of greater rate including more bubbles etc. DO NOT ALLOW more gas produced

		<p>van der Waals' forces are weak and metallic bonds are strong OR van der Waals' forces are weaker than metallic bonds OR Less energy is needed to overcome van der Waals' than metallic bonds ✓</p>		<p>ALLOW ECF from incorrect descriptions of giant structure with strong bonds; e.g. Mg has giant ionic structure ALLOW ECF from any incorrect intermolecular forces e.g. permanent dipole –dipole from marking point 5 ALLOW vdW easier to break ORA</p>
	(d)	(i)	<p>O goes from –2 to 0 ✓ N goes from +5 to +4 ✓ N is reduced AND O is oxidised ✓</p>	<p>3</p> <p>Oxidation numbers may be seen with equation</p> <p>Third mark is dependent upon seeing a reduction in oxidation number of N and an increase in oxidation number of O</p> <p>ALLOW ECF for third mark for N is oxidised and O is reduced if incorrect oxidation numbers support this</p> <p>IGNORE references to strontium IGNORE references to electron loss OR gain</p> <p>DO NOT ALLOW 'One increases and one decreases'</p>

	(d)	(ii)	<p>Calculates correctly: Mol of $\text{Sr}(\text{NO}_3)_2 = \frac{5.29}{211.6} = 0.0250 \checkmark$</p> <p>Calculates correctly: Mol of gas = $5/2 \times 0.0250 = 0.0625 \checkmark$</p> <p>Calculates correctly: Volume of gas = $24.0 \times 0.0625 = 1.50 \text{ dm}^3 \checkmark$</p>	3	<p>ALLOW 0.025</p> <p>ALLOW ECF for first answer $\times 2.5$ as calculator value or correct rounding to 2 significant figures or more but ignore trailing zeroes</p> <p>ALLOW ECF for second answer $\times 24(.0)$ as calculator value or correct rounding to 2 significant figures or more but ignore trailing zeroes</p> <p>DO NOT ALLOW ECF of first answer $\times 24(.0)$ (which gives $0.6(0) \text{ dm}^3$) as this has not measured the volume of any gas, simply 0.0250 mol of solid $\text{Sr}(\text{NO}_3)_2$ converted into a gas i.e. This answer would give one mark</p> <p>ALLOW 1.5 dm^3</p> <p>ALLOW ECF producing correct volume of NO_2 only i.e. $1.2(0) \text{ dm}^3$ would give two marks</p> <p>OR</p> <p>ALLOW ECF producing correct volume of O_2 only i.e. $0.3(0) \text{ dm}^3$ would give two marks</p>
Total			18		

Question			Expected Answers	Marks	Additional Guidance
3	a	i	a shared pair of electrons ✓	1	ALLOW any response that communicates electron pair ALLOW shared pairs
		ii		1	Must be ' <i>dot-and-cross</i> ' circles for outer shells NOT needed IGNORE inner shells Non-bonding electrons of N do not need to be shown as a pair.
		iii	Shape: pyramidal OR (trigonal) pyramid ✓ Explanation: There are 3 bonded pairs and 1 lone pair ✓ Lone pairs repel more than bonded pairs ✓	3	ALLOW 'bonds' for 'bonded pairs' DO NOT ALLOW 'atoms repel' DO NOT ALLOW electrons repel ALLOW LP for 'lone pair' ALLOW BP for bonded pair
	b	i	$1s^2 2s^2 2p^6 3s^2 3p^6$ ✓	1	ALLOW subscripts
		ii	 ' <i>Dot-and-cross</i> ' diagram to show four shared pairs of electrons one of which is a dative covalent bond (which must consist of the same symbols) ✓	1	IGNORE inner shells IGNORE '+' sign BUT a DO NOT ALLOW '-' sign. Brackets and circles not required

Question		Expected Answers	Marks	Additional Guidance
	iii	tetrahedral ✓ 109.5° ✓	2	ALLOW 109–110°
	iv	ions OR electrons cannot move in a solid ✓ ions can move OR are mobile in solution ✓	2	ALLOW ions can move in liquid DO NOT ALLOW ions can move when molten ALLOW 1 mark for: 'Ions can only move in solution'
c	i	$2\text{NH}_3 + \text{H}_2\text{SO}_4 \rightarrow (\text{NH}_4)_2\text{SO}_4$ ✓	1	ALLOW $2\text{NH}_4\text{OH} + \text{H}_2\text{SO}_4 \rightarrow (\text{NH}_4)_2\text{SO}_4 + 2\text{H}_2\text{O}$ ALLOW $\text{NH}_3 + \text{H}^+ \rightarrow \text{NH}_4^+$ ALLOW any correct multiple IGNORE state symbols
	ii	when the H^+ in an acid is replaced by a metal ion OR an ammonium ion OR a + ion ✓	1	ALLOW H for H^+ ; ALLOW 'metal' for 'metal ion' i.e.: H in an acid can be replaced by a metal
	iii	accepts a proton OR accepts H^+ ✓	1	ALLOW donates a lone pair ALLOW removes H^+ ALLOW forms OH^- ions
	iv	132.1 ✓	1	IGNORE units NO OTHER ACCEPTABLE ANSWER
		Total	15	