Q1. (a) Consider the following amino acid.

H H₂N-C-COOH | CH(CH₃)₂

(i) Draw the structure of the amino acid species present in a solution at pH 12.

(ii) Draw the structure of the dipeptide formed from two molecules of this amino acid.

(iii) Protein chains are often arranged in the shape of a helix. Name the type of interaction that is responsible for holding the protein chain in this shape.

.....

(3)

- (b) Consider the hydrocarbon **G**, $(CH_3)_2C=CHCH_3$, which can be polymerised.
 - (i) Name the type of polymerisation involved and draw the repeating unit of the polymer.

Type of polymerisation


Repeating unit

(ii) Draw the structure of an isomer of **G** which shows geometrical isomerism.

(iii) Draw the structure of an isomer of **G** which does not react with bromine water.

(4) (Total 7 marks)

Q2. The structures of the amino acids *alanine* and *glycine* are shown below.



(a) Give the systematic name for *alanine*.

.....

(1)

(b) Alanine exists as a pair of stereoisomers.

(i) Explain the meaning of the term *stereoisomers*.

(ii) State how you could distinguish between the stereoisomers.

(4)

(c) Give the structural formula of the species formed by *glycine* at pH 14.

(d) When two amino acids react together, a dipeptide is formed. Give the structural formulae of the **two** dipeptides which are formed when *alanine* and *glycine* react together.

Dipeptide 1

Dipeptide 2

(e) Give the structural formula of the organic compound formed when *glycine* reacts with methanol in the presence of a small amount of concentrated sulphuric acid.

(1) (Total 9 marks) Q3. (a) Synthetic polyamides are produced by the reaction of dicarboxylic acids with compounds such as H₂N(CH₂)₆NH₂
(i) Name the compound H₂N(CH₂)₆NH₂

(ii) Give the repeating unit in the polyamide nylon 6,6.

.....

(2)


(2)

(b) Synthetic polyamides have structures similar to those found in proteins.

(i) Draw the structure of 2-aminopropanoic acid.

(ii) Draw the organic product formed by the condensation of two molecules of 2-aminopropanoic acid.

(c) Compounds like $H_2N(CH_2)_6NH_2$ are also used to make ionic compounds such as **X**, shown below.



Compound ${f X}$

(i) **X** belongs to the same type of compound as $(CH_3)_4N^+Br^-$ Name this **type** of compound.

```
.....
```

(ii) State a reagent which could produce **X** from $H_2N(CH_2)_6NH_2$ and give a necessary condition to ensure that **X** is the major product.

Reagent
Condition

(iii) Name the mechanism involved in this reaction to form **X**.

(4) (Total 8 marks)