



GCSE Physics

Radiation

Question Paper


Time available: 60 minutes

Marks available: 57 marks

www.accesstuition.com

1. In the early 20th century, scientists developed an alpha particle scattering experiment using gold foil.

The diagram shows the paths of some of the alpha particles in the alpha particle scattering experiment.



(a) Explain how the paths of the alpha particles were used to develop the nuclear model of the atom.

(4)

(b) Niels Bohr adapted the nuclear model by suggesting electrons orbited the nucleus at specific distances.

Explain how the distance at which an electron orbits the nucleus may be changed.

(3)

(Total 7 marks)

2.

Alpha, beta and gamma are types of nuclear radiation.

(a) Draw **one** line from each type of radiation to what the radiation consists of.

Type of radiation

Alpha

Beta

Gamma

What radiation consists of

Electron from the nucleus

Two protons and two neutrons


Electromagnetic radiation

Neutron from the nucleus

(3)

(b) A teacher demonstrates the penetration of alpha, beta and gamma radiation through different materials.

The demonstration is shown in the figure below.



Complete the figure above by writing the name of the correct radiation in each box.

(2)

(c) Give **two** safety precautions the teacher should have taken in the demonstration.

1. _____

2. _____

(2)

(d) The table below shows how the count rate from a radioactive source changes with time.

Time in seconds	0	40	80	120	160
Count rate in counts/second	400	283	200	141	100

Use the table to calculate the count rate after 200 seconds.

(2)

(e) The half-life of the radioactive source used was very short.

Give **one** reason why this radioactive source would be much less hazardous after 800 seconds.

(1)
(Total 10 marks)

3.

Alpha particles, beta particles and gamma rays are types of nuclear radiation.

(a) Describe the structure of an alpha particle.

(1)

(b) Nuclear radiation can change atoms into ions by the process of ionisation.

(i) Which type of nuclear radiation is the least ionising?

Tick (✓) **one** box.

alpha particles

beta particles

gamma rays

(1)

(ii) What happens to the structure of an atom when the atom is ionised?

(1)

(c) People working with sources of nuclear radiation risk damaging their health.

State **one** precaution these people should take to reduce the risk to their health.

(1)
(Total 4 marks)

4.

Atoms are different sizes.

One of the heaviest naturally occurring stable elements is lead.

Two of its isotopes are lead-206 (${}_{82}^{206}\text{Pb}$) and lead-208 (${}_{82}^{208}\text{Pb}$).

(a) (i) What is meant by 'isotopes'?

(2)

(ii) How many protons are in the nucleus of a ${}_{82}^{206}\text{Pb}$ atom?


(1)

(iii) How many neutrons are in the nucleus of a ${}_{82}^{206}\text{Pb}$ atom?

(1)


(b) A nucleus can be accelerated in a particle accelerator and directed at a large nucleus. This produces a heavy nucleus that will decay after a short time.

This is shown in **Figure 1**.



- (i) In 1984, nuclei of iron (Fe) were directed at nuclei of lead (Pb). This produced nuclei of hassium (Hs).

Complete the equation for this reaction by writing numbers in the empty boxes.



(3)

- (ii) Use the correct answer from the box to complete the sentence.

an electron	a proton	a neutron
-------------	----------	-----------

The particle **X** in part (b)(i) is _____.

(1)

- (iii) After acceleration the iron nuclei travel at a steady speed of one-tenth of the speed of light.

The speed of light is 3.00×10^8 m/s.

Calculate the time taken for the iron nuclei to travel a distance of 12 000 m.

Time taken = _____ s

(2)

- (iv) Linear accelerators, in which particles are accelerated in a straight line, are **not** used for these experiments. Circular particle accelerators are used.

Suggest why.

(3)

(c) Hassium-265 (${}_{108}^{265}\text{Hs}$) decays by alpha emission with a half-life of 0.002 seconds.

(i) What is meant by 'half-life'?

Tick (✓) **two** boxes.

	Tick (✓)
The average time for the number of nuclei to halve	
The time for count rate to be equal to background count	
The time for background count to halve	
The time for count rate to halve	

(2)

(ii) Complete the equation for the decay of Hs-265 by writing numbers in the empty boxes.



(2)

(d) The table below shows how the atomic radius of some atoms varies with atomic number.


Atomic number	Atomic radius in picometres (pm)
15	100
35	115
50	130
70	150
95	170

$$1 \text{ pm} = 10^{-12} \text{ m}$$

- (i) On **Figure 2**, use the data from the table above to plot a graph of atomic radius against atomic number and draw a line of best fit.

Two points have been plotted for you.

Figure 2



(2)

- (ii) Scientists believe that the element with atomic number 126 can be produced and that it will be stable.

Use your graph in **Figure 2** to predict the atomic radius of an atom with atomic number 126.

Atomic radius = _____ pm

(1)

(Total 20 marks)

5. Atoms contain three types of particle.

(a) Draw a ring around the correct answer to complete the sentence.

The particles in the nucleus of the atom are

- electrons and neutrons.
- electrons and protons.
- neutrons and protons.

(1)

(b) Complete the table to show the relative charges of the atomic particles.

Particle	Relative charge
Electron	-1
Neutron	
Proton	

(2)

(c) (i) A neutral atom has no overall charge.

Explain this in terms of its particles.

(2)

(ii) Complete the sentence.


An atom that loses an electron is called an _____

and has an overall _____ charge.

(2)

(Total 7 marks)

6. (a) The figure below shows a helium atom.



(i) Which **one** of the particles in the atom is **not** charged?

Draw a ring around the correct answer.

electron neutron proton

(1)

(ii) Which **two** types of particle in the atom have the same mass?

_____ and _____

(1)

(iii) What is the atomic number of a helium atom?

Draw a ring around the correct answer.

2 4 6

Give a reason for your answer.

(2)

(b) Alpha particles are one type of nuclear radiation.

(i) Name **one** other type of nuclear radiation.

(1)

(ii) Use the correct answer from the box to complete the sentence.

electrons	neutrons	protons
------------------	-----------------	----------------

The difference between an alpha particle and a helium atom is that the alpha particle does **not** have any _____ .

(1)

(iii) Which **one** of the following is a property of alpha particles?

Tick (✓) **one** box.

Have a long range in air

Are highly ionising

Will pass through metals

(1)

(c) Doctors may use nuclear radiation to treat certain types of illness.

Treating an illness with radiation may also harm a patient.

(i) Complete the following sentence.

The risk from treating a patient with radiation is that the radiation may _____ healthy body cells.

(1)

(ii) Draw a ring around the correct answer to complete the sentence.

Radiation may be used to treat a patient if the risk from the

radiation is

much bigger than about the same as much smaller than
--

 the possible benefit of having the treatment.

(1)

(Total 9 marks)