

**GCSE  
COMBINED SCIENCE: TRILOGY  
8464/P/2F**

Physics Paper 2F

---

Mark scheme

June 2020

---

Version: 1.0 Final Mark Scheme



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from [aqa.org.uk](http://aqa.org.uk)

#### **Copyright information**

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2020 AQA and its licensors. All rights reserved.

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

### 2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

#### 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

#### 3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

#### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

### 3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

### 3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

## 4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

### Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

### **Step 2: Determine a mark**

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	vectors have magnitude and direction		1	AO1 6.5.4.1.3
01.2	there is a resultant force acting on the ball		1	AO1 6.5.4.2.1
01.3	length of lane = $4.5 \times 4.0$ length of lane = 18 (m)		1 1	AO2 6.5.4.1.3
01.4	arrow in opposite direction arrow same length drawn from the ball		1 1	AO1 6.5.4.2.3
01.5	$a = \frac{12 - 0}{0.15}$ $a = 80 \text{ (m/s}^2\text{)}$		1 1	AO2 6.5.4.1.3
01.6	increases stays the same increases		1 1 1	AO2 6.1.1.2 6.5.4.1.3
<b>Total</b>			<b>11</b>	

question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	springs push the keys back to their original position		1	AO1 6.5.3
02.2	so that the same force is needed to press each key		1	AO3 6.5.3
02.3	(the length) decreases	allow the spring compresses	1	AO1 6.5.3
02.4	4.0 mm		1	AO2 6.5.3
02.5	the spring/key will not move far enough  so will not press the (electrical contact) switch		1  1	AO3 6.5.3
02.6	$F = 200 \times 0.0040$  $F = 0.80 \text{ (N)}$	allow 0.8 (N)	1  1	AO2 6.5.3
02.7	shorter spring  spring with a lower spring constant	allow spring that requires less force to compress allow weaker spring allow spring that is easier to compress	1  1	AO3 6.5.3
<b>Total</b>			<b>10</b>	



Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	skin		1	AO1 6.6.2.4
03.2	dose is much lower than even slight increased risk of cancer dose	allow much less than 100 mSv	1	AO3 6.6.2.3
03.3	to reduce the dose of radiation (they are exposed to)	allow reduce the risk	1	AO3 6.6.2.3
03.4	sterilising medical equipment		1	AO1 6.6.2.3
03.5	they are ionising		1	AO1 6.6.2.3
03.6	<b>microwaves</b>			AO1 6.6.2.4
	data is transmitted / detected	allow signal / information for data	1	
	by (mobile) phone / WiFi / satellite	allow bluetooth	1	
	<b>visible light</b>			
example of device / system		1		
description of how light is used	e.g. the internet transfers information via visible light in fibre optics e.g. image produced / seen on a TV / mobile phone	1		

		allow any sensible suggestion for visible light, but the two marks must be linked		
<b>Total</b>			<b>9</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>04.1</b>	gradient = $\frac{250 - 0}{50 - 0}$  speed = 5.0 m/s	allow any correct pair of values substituted  allow 5 (m/)  allow the use of $s = v t$	1	AO2 6.5.4.1.4
			1	
<b>04.2</b>	gravitational force		1	AO1 6.5.1.2
<b>04.3</b>	W = 30 × 250  W = 7500  J		1	AO2
			1	AO2
			1	AO1 6.5.2
<b>04.4</b>	frictional  kinetic  chemical		1	AO1 6.5.2
			1	
			1	
<b>Total</b>			<b>9</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	A		1	AO1 6.6.1.2
05.2	B		1	AO1 6.6.1.2
05.3	D		1	AO1 6.6.1.2
05.4	$v = 1650 \times 0.200$  $v = 330 \text{ (m/s)}$		1  1	AO2 6.6.1.2
05.5	0.004 s		1	AO2 6.6.1.2
05.6	$0.004 = \frac{1}{\text{frequency}}$  $\text{frequency} = \frac{1}{0.004}$  $F = 250 \text{ (Hz)}$	allow ecf from question 05.5	1  1  1	AO2 6.6.1.2
<b>Total</b>			<b>9</b>	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>06.1</b>	iron and steel will be attracted (to the magnet)		1	AO1 6.7.1.1
	aluminium, copper and tin will not be attracted (to the magnet)	allow <b>1</b> mark is one metal is in the incorrect list, but all the other four are correct  if no other mark awarded allow iron and steel are magnetic for <b>1</b> mark	1	
<b>06.2</b>	the paperclip would still be attracted to the magnet		1	AO1 6.7.1.1
	because of induced magnetism	allow the paper clip becomes an induced magnet allow because the paper clip is a temporary magnet allow there is a magnetic field at the south pole	1	
<b>06.3</b>	weight = mass × gravitational field strength  or  $W = mg$	do not accept gravity for gravitational field strength	1	AO1 6.5.1.3
<b>06.4</b>	1.0 g = 0.0010 kg	allow 0.001 (kg)	1	AO2 6.5.1.3
	weight of 1 paperclip = 0.0010 × 9.8	allow 0.0098 (N) allow correct substitution using incorrectly/not converted value of mass of paperclip	1	
	Force = 0.0098 × 20 = 0.196 (N)	allow correct calculation using incorrectly/not converted value of mass of paperclip	1	

<b>Total</b>			<b>8</b>

Question	Answers	Mark	AO / Spec. Ref.
07.1	<b>Level 3:</b> The method would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO3
	<b>Level 2:</b> The method would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	AO1
	<b>Level 1:</b> The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	AO1
	<b>No relevant content</b>	0	6.5.4.2.2 RPA19
	<p><b>Indicative content</b></p> <p><b><u>measurements</u></b></p> <ul style="list-style-type: none"> <li>• place one wooden block under the ramp</li> <li>• vary the height by placing a different number of wooden blocks</li> <li>• measure the height of the ramp using a metre rule</li> <li>• measure the distance travelled using a metre rule</li> <li>• measure time taken using light gates (and computer/datalogger)</li> <li>• measure time taken using a stopclock or ticker timer</li> <li>• release trolley from the same position each time</li> <li>• release the trolley without applying a force</li> </ul> <p><b><u>results</u></b></p> <ul style="list-style-type: none"> <li>• repeat at the same height and calculate a mean</li> <li>• repeat for different heights</li> <li>• calculate acceleration using <math>a = (v-u)/t</math> or <math>a = \frac{v^2-u^2}{2s}</math></li> </ul>		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
<b>07.2</b>	all points plotted correctly	allow <b>1</b> mark for 3 points plotted correctly	2	AO2 6.5.4.2.2 RPA19
	height of ramp in metres on x-axis <b>and</b> acceleration in m/s <sup>2</sup> on y-axis)	both quantity and unit required for both axes	1	
	correct line of best fit		1	
<b>07.3</b>	resultant force = mass × acceleration  or  F = ma		1	AO1 6.5.4.2.2 RPA19
<b>07.4</b>	0.63 = m × 2.1	allow 0.3 (kg)	1	AO2 6.5.4.2.2 RPA19
	$m = \frac{0.63}{2.1}$		1	
	m = 0.30 (kg)		1	
<b>Total</b>			<b>14</b>	