

Write your name here

Surname

Other names

Pearson Edexcel Certificate

Centre Number

Candidate Number

**Pearson Edexcel
International GCSE**

--	--	--	--	--

--	--	--	--

Chemistry

Unit: KCH0/4CH0

Paper: 2C

Tuesday 9 June 2015 – Afternoon

Time: 1 hour

Paper Reference

**KCH0/2C
4CH0/2C**

You must have:

Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P44269A

©2015 Pearson Education Ltd.

1/1/1/



PEARSON

THE PERIODIC TABLE

Period 1 2 3 4 5 6 7 0

Group

Period

4	He	Helium	2
---	----	--------	---

1	H	Hydrogen	1
---	---	----------	---

7	Li	Lithium	3	9	Be	Beryllium	4	20	Ne	Neon	10
23	Na	Sodium	11	24	Mg	Magnesium	12	31	P	Phosphorus	15
39	K	Potassium	19	40	Ca	Calcium	20	70	Ga	Gallium	31
86	Rb	Rubidium	37	88	Sr	Strontium	38	115	In	Indium	49
133	Cs	Caesium	55	137	Ba	Barium	56	204	Tl	Thallium	81
223	Fr	Francium	87	226	Ra	Radium	88	207	Pb	Lead	82
227	Ac	Actinium	89	227	AC	Actinium	89	209	Bi	Bismuth	83
45	Sc	Scandium	21	45	Sc	Scandium	21	56	Fe	Iron	26
89	Y	Yttrium	39	89	Y	Yttrium	39	101	Ru	Ruthenium	44
139	La	Lanthanum	57	139	La	Lanthanum	57	190	Os	Osmium	76
48	Ti	Titanium	22	48	Ti	Titanium	22	59	Co	Cobalt	27
91	Zr	Zirconium	40	91	Zr	Zirconium	40	103	Rh	Rhodium	45
179	Hf	Hafnium	72	179	Hf	Hafnium	72	192	Ir	Iridium	77
51	V	Vanadium	23	51	V	Vanadium	23	106	Pd	Palladium	46
93	Nb	Niobium	41	93	Nb	Niobium	41	112	Cd	Cadmium	48
181	Ta	Tantalum	73	181	Ta	Tantalum	73	195	Pt	Platinum	78
52	Cr	Chromium	24	52	Cr	Chromium	24	108	Ag	Silver	47
96	Mo	Molybdenum	42	96	Mo	Molybdenum	42	112	Cd	Cadmium	48
184	W	Tungsten	74	184	W	Tungsten	74	197	Au	Gold	79
55	Mn	Manganese	25	55	Mn	Manganese	25	63.5	Cu	Copper	29
99	Tc	Technetium	43	99	Tc	Technetium	43	106	Pd	Palladium	46
186	Re	Rhenium	75	186	Re	Rhenium	75	187	Au	Gold	79
59	Co	Cobalt	27	59	Co	Cobalt	27	63.5	Cu	Copper	29
103	Rh	Rhodium	45	103	Rh	Rhodium	45	106	Pd	Palladium	46
192	Ir	Iridium	77	192	Ir	Iridium	77	195	Pt	Platinum	78
106	Pd	Palladium	46	106	Pd	Palladium	46	108	Ag	Silver	47
112	Cd	Cadmium	48	112	Cd	Cadmium	48	112	Cd	Cadmium	48
201	Hg	Mercury	80	201	Hg	Mercury	80	201	Hg	Mercury	80
79	Au	Gold	79	79	Au	Gold	79	197	Au	Gold	79
127	I	Iodine	53	127	I	Iodine	53	197	Au	Gold	79
128	Te	Tellurium	52	128	Te	Tellurium	52	108	Ag	Silver	47
210	Po	Polonium	84	210	Po	Polonium	84	108	Ag	Silver	47
210	At	Astatine	85	210	At	Astatine	85	108	Ag	Silver	47
80	Zn	Zinc	30	80	Zn	Zinc	30	108	Ag	Silver	47
78	Ni	Nickel	28	78	Ni	Nickel	28	108	Ag	Silver	47
77	Ir	Iridium	77	77	Ir	Iridium	77	108	Ag	Silver	47
76	Os	Osmium	76	76	Os	Osmium	76	108	Ag	Silver	47
75	Rh	Rhodium	45	75	Rh	Rhodium	45	108	Ag	Silver	47
74	W	Tungsten	74	74	W	Tungsten	74	108	Ag	Silver	47
44	Ru	Ruthenium	44	44	Ru	Ruthenium	44	108	Ag	Silver	47
43	Tc	Technetium	43	43	Tc	Technetium	43	108	Ag	Silver	47
42	Mo	Molybdenum	42	42	Mo	Molybdenum	42	108	Ag	Silver	47
41	Nb	Niobium	41	41	Nb	Niobium	41	108	Ag	Silver	47
40	Zr	Zirconium	40	40	Zr	Zirconium	40	108	Ag	Silver	47
39	Y	Yttrium	39	39	Y	Yttrium	39	108	Ag	Silver	47
38	Sr	Strontium	38	38	Sr	Strontium	38	108	Ag	Silver	47
37	Rb	Rubidium	37	37	Rb	Rubidium	37	108	Ag	Silver	47
36	Kr	Krypton	36	36	Kr	Krypton	36	108	Ag	Silver	47
35	Br	Bromine	35	35	Br	Bromine	35	108	Ag	Silver	47
34	Se	Selenium	34	34	Se	Selenium	34	108	Ag	Silver	47
33	As	Arsenic	33	33	As	Arsenic	33	108	Ag	Silver	47
32	Ge	Germanium	32	32	Ge	Germanium	32	108	Ag	Silver	47
31	Ga	Gallium	31	31	Ga	Gallium	31	108	Ag	Silver	47
30	Zn	Zinc	30	30	Zn	Zinc	30	108	Ag	Silver	47
29	Cu	Copper	29	29	Cu	Copper	29	108	Ag	Silver	47
28	Ni	Nickel	28	28	Ni	Nickel	28	108	Ag	Silver	47
27	Co	Cobalt	27	27	Co	Cobalt	27	108	Ag	Silver	47
26	Fe	Iron	26	26	Fe	Iron	26	108	Ag	Silver	47
25	Mn	Manganese	25	25	Mn	Manganese	25	108	Ag	Silver	47
24	Cr	Chromium	24	24	Cr	Chromium	24	108	Ag	Silver	47
23	V	Vanadium	23	23	V	Vanadium	23	108	Ag	Silver	47
22	Ti	Titanium	22	22	Ti	Titanium	22	108	Ag	Silver	47
21	Sc	Scandium	21	21	Sc	Scandium	21	108	Ag	Silver	47
20	Ca	Calcium	20	20	Ca	Calcium	20	108	Ag	Silver	47
19	K	Potassium	19	19	K	Potassium	19	108	Ag	Silver	47
18	Ar	Argon	18	18	Ar	Argon	18	108	Ag	Silver	47
17	Cl	Chlorine	17	17	Cl	Chlorine	17	108	Ag	Silver	47
16	S	Sulfur	16	16	S	Sulfur	16	108	Ag	Silver	47
15	P	Phosphorus	15	15	P	Phosphorus	15	108	Ag	Silver	47
14	N	Nitrogen	7	14	N	Nitrogen	7	108	Ag	Silver	47
13	Al	Aluminium	13	13	Al	Aluminium	13	108	Ag	Silver	47
12	C	Carbon	6	12	C	Carbon	6	108	Ag	Silver	47
11	B	Boron	5	11	B	Boron	5	108	Ag	Silver	47

Key

Relative atomic mass
Symbol
Name
Atomic number



BLANK PAGE



Answer ALL questions.

1 The table shows the numbers of protons, neutrons and electrons in some atoms and ions.

Atom or ion	Protons	Neutrons	Electrons
P	6	8	6
Q	5	6	5
R	9	10	10
S	3	4	2
T	6	6	6

(a) (i) Which particles have the same mass?

(1)

- A** electrons and protons
- B** electrons and neutrons
- C** neutrons and protons
- D** electrons, neutrons and protons

(ii) What is the atomic number of P?

(1)

- A** 6
- B** 8
- C** 12
- D** 14

(iii) What is the mass number of Q?

(1)

- A** 5
- B** 6
- C** 10
- D** 11




(b) Which group of the Periodic Table contains element T? (1)

(c) (i) Which two letters represent isotopes of the same element? (1)

..... and

(ii) Which letter represents a positive ion? (1)

(d) The diagram shows the arrangement of particles in another ion.



How does the diagram show that this ion has a negative charge? (1)


(Total for Question 1 = 7 marks)



2 The equation for the thermal decomposition of copper(II) carbonate is



A student investigates the decomposition of copper(II) carbonate using this apparatus.



She uses this method.

- weigh the crucible, lid and copper(II) carbonate
- heat the crucible, lid and contents for 2 minutes
- allow to cool and then reweigh
- heat for a second period of 2 minutes
- allow to cool and then reweigh
- heat for a third period of 2 minutes
- allow to cool and then reweigh

The table shows the student's results.

Experiment	Mass of crucible, lid and contents in grams			
	before heating	after heating for 2 minutes	after heating for 4 minutes	after heating for 6 minutes
1	26.3	23.0	21.9	21.4
2	25.8	22.7	21.5	21.5
3	26.0	23.0	21.2	21.2
4	26.1	23.2	21.8	21.8

(a) Why does the mass decrease during heating?

(1)

.....

.....



(b) State the colours of the solids in the reaction.

(2)

CuCO₃(s)

CuO(s)

(c) (i) In which experiment might the decomposition **not** be complete?

(1)

(ii) Give a reason for your choice.

(1)

(iii) Which statement could explain why the decomposition might not be complete?

(1)

- A** The student used a higher temperature than in the other experiments.
- B** The student used less copper(II) carbonate than in the other experiments.
- C** The student heated the crucible without a lid on.
- D** The student used a spirit burner instead of a Bunsen burner.

(d) In another experiment, the student calculates that she should obtain a mass of 3.7 g of CuO(s) after completely decomposing a sample of CuCO₃(s).

She actually obtains a mass of 3.4 g of CuO(s).

Calculate the percentage yield in her experiment.

(2)

percentage yield =%

(Total for Question 2 = 8 marks)



BLANK PAGE



3 This question is about halogens and halides.

(a) At room temperature bromine is


(1)

- A a brown gas
- B a red-brown liquid
- C a colourless liquid
- D a grey solid

(b) Sodium reacts with bromine to form sodium bromide.

Balance the equation for this reaction.

(1)



(c) A student carries out some experiments to investigate displacement reactions.

She adds some halogen solutions to halide solutions and observes whether a reaction occurs.

The table shows her results.

Halide solution	Halogen solution added		
	bromine	chlorine	iodine
lithium chloride	no reaction	(not done)	no reaction
sodium bromide	(not done)	reaction occurs	no reaction
potassium iodide	reaction occurs	reaction occurs	(not done)

(i) The table shows that she did not do three experiments.

Suggest why she did not do these experiments.

(1)

.....

.....

.....

.....

(ii) The table shows that there was no reaction in three experiments.

Why was there no reaction in these experiments?


(1)

.....

.....



(iii) The student writes this word equation for one of the experiments in which a reaction occurs.



The name of one of the substances is incorrect.

Write the correct name of this substance.

(1)

(iv) A reaction occurs when the student adds chlorine solution to potassium iodide solution.

Complete the chemical equation for this reaction.

(2)




(v) All displacement reactions are examples of redox reactions.

State the meaning of the term **redox**.

(1)

(vi) The ionic equation for another reaction is




Explain which species is oxidised in this reaction.

(2)

(Total for Question 3 = 10 marks)



4 The scheme shows some reactions involving ethanol.



(a) (i) Two conditions used in reaction 1 are


- a temperature of about 30 °C
- the use of water as a solvent for the glucose

State the name of the catalyst used in this reaction.

(1)

(ii) Complete the equation for reaction 1.

(1)



(b) Ethanol can also be manufactured by reaction 3, which uses steam, a catalyst of phosphoric acid and a pressure of about 65 atm.

State the temperature used in reaction 3.

(1)

(c) State the type of reaction that occurs in

(2)

reaction 1

reaction 3



(d) State two advantages of using reaction 3 to manufacture ethanol rather than reaction 1.

(2)

1

.....

2

.....

(e) Give a reason why some countries use reaction 1 to manufacture ethanol.

(1)

.....

.....

(f) Reaction 2 may be used in the future to manufacture ethene.

(i) Write an equation for this reaction.

(1)

.....

(ii) What type of reaction is this?


(1)

.....

(Total for Question 4 = 10 marks)




- 5 A student uses this apparatus to measure the temperature change when lithium iodide dissolves in water.



He measures the steady temperature of the water before adding the lithium iodide.

He then adds the lithium iodide, stirs the mixture until all the solid dissolves and records the maximum temperature reached.

The diagram shows the thermometer readings before and after dissolving the lithium iodide.



- (a) Use the readings to complete the table.

(3)

Temperature in °C after adding lithium iodide	
Temperature in °C before adding lithium iodide	
Temperature change in °C	



(b) In a second experiment, using the same mass of water, the student records a temperature increase of 4.9 °C.

(i) Use this expression to calculate the heat energy change in this experiment.

$$\begin{array}{ccccccc} \text{heat energy change} & = & \text{mass of water} & \times & 4.2 & \times & \text{temperature change} \\ \text{(in joules)} & & \text{(in grams)} & & & & \text{(in } ^\circ\text{C)} \end{array} \quad (2)$$

heat energy change = J

(ii) In this experiment, 6.3 g of lithium iodide were used.

Calculate the amount, in moles, of lithium iodide in 6.3 g.

[M_r of lithium iodide = 134]

(2)

amount of LiI = mol



(c) In a third experiment the student obtains these results.

heat energy change in J	2400
amount of lithium iodide in mol	0.048

(i) Calculate the molar enthalpy change, in kJ/mol, in this experiment.

(2)


molar enthalpy change = kJ/mol

(ii) The temperature change in this experiment shows that dissolving lithium iodide in water to form lithium iodide solution is an exothermic process.

Complete the energy level diagram to show the position of the lithium iodide solution.

Label the diagram to show ΔH , the molar enthalpy change.

(2)



(Total for Question 5 = 11 marks)



BLANK PAGE



6 Magnesium and its compounds have many uses.

Magnesium is never found as an element in the Earth's crust, but its compounds occur naturally in rocks and seawater.

(a) Suggest why magnesium is not found as an element in the Earth's crust.

(1)

(b) Magnesium can be extracted from seawater by a multi-stage process.

stage 1 calcium hydroxide reacts with magnesium chloride in seawater to form a precipitate of magnesium hydroxide

stage 2 the magnesium hydroxide is filtered off and converted into magnesium chloride solution by reacting it with hydrochloric acid

stage 3 the magnesium chloride solution is converted into solid magnesium chloride

stage 4 the solid magnesium chloride is melted and electrolysed

(i) Which stage involves a neutralisation reaction?

(1)

A stage 1

B stage 2

C stage 3

D stage 4

(ii) Suggest the name of the other product formed in stage 1.

(1)

(iii) What happens to the ions in magnesium chloride during melting?

(1)



(iv) The ionic half-equation for the reaction at the negative electrode in stage 4 is



Write the ionic half-equation for the reaction at the positive electrode.

(1)

(c) A manufacturer makes a batch of magnesium by electrolysis of magnesium chloride.

(i) Calculate the mass of magnesium chloride (MgCl_2) needed to make 48 kg of magnesium.

(2)

mass of magnesium chloride = kg

(ii) Calculate the amount, in moles, of electrons needed to make 48 kg of magnesium.


(2)

amount of electrons = mol

QUESTION 6 CONTINUES ON THE NEXT PAGE



(d) Magnesium oxide can be used to make magnesium sulfate by this reaction.



A student is provided with a beaker of dilute sulfuric acid.

Outline the steps she should use to obtain a pure sample of hydrated magnesium sulfate crystals using this reaction.

(5)

(Total for Question 6 = 14 marks)

TOTAL FOR PAPER = 60 MARKS

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.

