



Pearson  
Edexcel

Mark Scheme  
(Results)

Summer 2019

Pearson Edexcel GCSE  
In Physics (1PH0) Paper 2H

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

### **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2019

Publications Code 1PH0\_2H\_1906\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2019

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.


When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

Question Number	Answer	Mark
1(a)(i)	<p><b>The only correct answer is A:</b> It removes electrons from the paint drops</p> <p><b>B is incorrect</b> because that would give an overall negative charge to the drops</p> <p><b>C is incorrect</b> because protons are not transferred</p> <p><b>D is incorrect</b> because protons are not transferred</p>	(1)

Question Number:	Answer	Additional Guidance	Mark
1(a)(ii)	<p>An explanation linking like charged drops are repelling each other (1)</p> <p>(so) spray is wider (from sprayer Y) (1)</p>	<p>more spread out / finer / larger area / more dispersed</p>	(2)

Question Number	Answer	Additional Guidance	Mark
1(a)(iii)	<p>An explanation linking metal (wire) can conduct electrons / charge (from earth) (1)</p> <p>(so) prevent (positive) charge accumulating on object (1)</p>	<p>metal is a conductor</p> <p>discharge (the object)</p>	(2)

Question Number	Answer	Additional Guidance	Mark
1(b)	 <p>at least three vertical straight lines (equally spaced) (1)</p> <p><b>with</b> at least one arrow in the right direction (1)</p>	<p>judge by eye</p> <p>any arrow in the wrong direction = 1 mark max</p>	(2)

**Total for Question 1 = 7 marks)**

Question Number	Answer	Mark
2(a)	<p><b>The only correct answer is B:</b> work done= force x distance moved in direction of force</p> <p><b>A is incorrect</b> because the equation would be dimensionally inconsistent</p> <p><b>C is incorrect</b> because the equation would be dimensionally inconsistent</p> <p><b>D is incorrect</b> because the direction of the distance moved is incorrect</p>	(1)

Question Number	Answer	Additional guidance	Mark
2(b)(i)	<p>substitution (1)  <math>(\Delta GPE =) (0.0)46 \times 10 \times 2.05</math></p> <p>evaluation (1)            0.94(3) (J)</p>	<p>allow <math>g = 9.8(1) \text{ m/s}^2</math></p> <p>0.9 (J)            values that round to 0.92 or 0.93            (from using <math>g = 9.8</math> or 9.81)</p> <p>do not award for 1(J)</p> <p>no POT error in evaluation</p> <p>award full marks for the correct answer without working.</p>	(2)

Question Number	Answer	Additional guidance	Mark
2(b)(ii)	recall (1) $(KE =) \frac{1}{2} \times m \times v^2$  substitution (1) $(KE =) \frac{1}{2} \times (0.046) \times 3.5^2$  evaluation (1) 0.28 (J)	allow answers that round to 0.28 e.g. 0.28175 (J)  allow max 2 marks for POT error e.g. 0.00028  award full marks for the correct answer without working	(3)


Question Number	Answer	Additional guidance	Mark
2(b)(iii)	Any value between 0.8 (m) and 0.95 (m) inclusive		(1)



Question Number	Answer	Additional guidance	Mark
2(b)(iv)	<p>An explanation linking (the ball) has lost energy (1)</p> <p>identification of what has happened to that energy (1)</p>	<p>accept (energy) dissipated  <b>or</b>  (transferred to) surroundings / ground  <b>or</b>  thermal energy  <b>or</b>  heat / sound  <b>or</b>  system is not 100% efficient  <b>or</b>  bounce is not (100%) elastic  <b>or</b>  squashing (the ball or the ground)</p>	(2)

---

**(Total for Question 2 = 9 marks)**

Question Number	Answer	Mark
3(a)	<p>The only correct answer is D</p>  <p><b>A is incorrect</b> because that is the symbol for a diode  <b>B is incorrect</b> because that is the symbol for a light dependent resistor  <b>C is incorrect</b> because that is a symbol for a motor</p>	(1)

Question Number	Answer	Additional guidance	Mark
3(b)(i)	<p>recall and substitution into <math>V = IR</math> (1)  <math>5.0 = 0.26 \times R</math></p> <p>rearrangement (1)  <math>(R =) \frac{5.0}{0.26}</math></p> <p>evaluation (1)  <math>19 (\Omega)</math></p>	<p>accept substitution and rearrangement in either order</p> $(R =) \frac{V}{I}$ <p><math>\frac{5.0}{0.26}</math> scores 2 marks</p> <p>accept answers that round to <math>19 (\Omega)</math> (e.g. <math>19.23</math>)</p> <p>accept answer written table if not written on answer line.</p> <p>award full marks for the correct answer without working</p>	(3)

Question Number:	Answer	Additional guidance	Mark
3(b)(ii)	<p>a comment that includes the following points</p> <p>idea that resistance increases with potential difference (1)</p> <p>idea that doubling the potential difference does not result in doubling of resistance (1)</p> <p><b>OR</b></p> <p><math>V = \text{constant} \times R</math> is not supported by this data (1)</p> <p>correct processing of data from the table to support either of the above mark points (1)</p>	<p>idea that equal increments of potential difference do not cause equal increments of resistance</p> <p>reverse argument e.g. if student was correct then equal increments of p.d. would cause equal increment of resistance</p> <p>if student was correct then current would be constant</p> <p>ignore simple quoting of data for this mark</p>	(3)

Question Number	Answer	Additional guidance	Mark
3(b)(iii)	<p>A description that includes</p> <p>add a variable resistor (1)</p> <p><b>with</b></p> <p>in series (with the lamp / power supply) (1)</p> <p><b>OR</b></p> <p>add a potential divider (1)</p> <p><b>with</b></p> <p>in parallel with power supply (1)</p>	<p>marks may be obtained from a circuit diagram</p> <p>rheostat</p> <p>accept between / before / after for in series</p> <p>potentiometer</p> <p>across the power supply</p> <p>ignore replacing power supply / using fixed resistor(s) / LDR / thermistor</p> <p>in both cases, second mark conditional on first mark</p>	<b>(2)</b>

---

**(Total for Question 3 = 9 marks)**

Question Number	Answer	Mark
4(a)	<p><b>The only correct answer is B:</b> force Q</p> <p><b>A is incorrect</b> because the moment of force P about the axle is zero.</p> <p><b>C is incorrect</b> because moment of force R about the axle is zero.</p> <p><b>D is incorrect</b> because moment of force S about the axle is zero.</p>	(1)


Question Number	Answer	Additional guidance	Mark
4(b)(i)	<p>recall of moment = force x distance (1)</p> <p>(moment of force from person =) <math>600 \times 0.5</math> <b>and</b> (moment of weight of rock =) <math>1800 \times 0.2</math> (1)</p> <p><b>moment</b> of force from person is less than <b>moment</b> of weight of rock. (1)</p>	<p>may be implied in a calculation</p> <p>300 (Nm)</p> <p><b>and</b> 360 (Nm)</p> <p>independent mark accept reverse argument</p>	(3)

Question Number	Answer	Additional guidance	Mark
4(b)(ii)	<p>An explanation that links</p> <p>increase distance between person and pivot/ reduce distance between rock and pivot / increase force from person (1)</p> <p>increase the moment of the force from the person / decrease the moment of the weight of the rock (1)</p>	<p>use longer lever / hold lever nearer the end / move pivot nearer to rock / get someone to help to push</p> <p>value of new distance and calculation of new moment</p>	(2)

Question Number	Answer	Additional guidance	Mark
4(c)(i)	<p>(In every second), distance moved by chain around large gear = distance moved by chain around small gear (1)</p> <p><math>2 \times 48 = \text{turns} \times 12</math></p> <p>rearrangement and evaluation (1)</p> <p>8 (turns each second)</p>	<p>accept use of gear ratio seen or implied e.g. 4:1 or 4/1 or 48:12 or 48/12 or converse e.g. 1:4</p> <p>award full marks for the correct answer without working</p>	(2)

Question Number	Answer	Additional guidance	Mark
4(c)(ii)	<p>An explanation linking</p> <p>reduces friction/amount of thermal energy transferred (1)</p> <p>extra useful energy is available/less input energy is required (1)</p> <p>efficiency = useful energy transferred (by the bicycle) ÷ total energy supplied (to the bicycle) (1)</p>	<p>(oil provides) lubrication</p> <p>less energy wasted</p> <p>allow for the last <b>two</b> mark points; <b>either</b> less input energy is required to produce the same output for <b>2</b> marks <b>or</b> more output energy is available for the same input energy for <b>2</b> marks</p>	<b>(3)</b>

**(Total for Question 4 = 11 marks)**

Question Number	Answer	Mark
5(a)(i)	<p data-bbox="416 237 831 271"><b>The only correct answer is A</b></p>  <p data-bbox="416 398 1078 510"><b>B is incorrect</b> because it is not tangential to the (circular) magnetic field lines produced by the current</p> <p data-bbox="416 517 1078 629"><b>C is incorrect</b> because it is not tangential to the (circular) magnetic field lines produced by the current</p> <p data-bbox="416 636 1078 748"><b>D is incorrect</b> because it is not tangential to the (circular) magnetic field lines produced by the current</p>	(1)




Question Number	Answer	Additional guidance	Mark
5(a)(ii)	<p>A description of the method that includes:</p> <p><b>EITHER</b> (using single compass)</p> <p>record field at one location (1)</p> <p>find how field continues (1)</p> <p>connect the dots (to reveal overall shape of field / line) (1)</p> <p><b>OR</b></p> <p>arrange multiple compasses (1)</p> <p>over all of the card (1)</p> <p>direction of (all of) the compass needles indicates shape of field (1)</p> <p><b>OR</b></p> <p>sprinkle iron filings on card (before current is switched on) (1)</p> <p>switch on current/ tap card (1)</p> <p>pattern produced indicates shape of field (1)</p>	<p>Marking points may be awarded from a diagram.</p> <p>mark where compass points <b>or</b> put dots at each end of needle / arrow</p> <p>move compass to new position / until needle over previous dot</p> <p>start from different position and repeat (idea of obtaining concentric circles)</p> <p>all the way round the wire</p> <p>allow iron filings to arrange themselves</p>	<b>(3)</b>

Question Number	Answer	Additional guidance	Mark
5(b)(i)	<p><b>The only correct answer is B:</b> up</p> <p><b>A is incorrect</b> because it does not follow the “Left Hand Rule”</p> <p><b>C is incorrect</b> because it is not perpendicular to the direction of the magnetic field.</p> <p><b>D is incorrect</b> because it is not perpendicular to the direction of the magnetic field.</p>		(1)

Question Number	Answer	Additional guidance	Mark
5(b)(ii)	<p>A description that includes:</p> <p>(forces are) equal (in size) <b>and</b> opposite (in direction)</p>	<p>accept (in this context) forces balance</p>	(1)

Question Number	Answer	Additional guidance	Mark
5(b)(iii)	substitution into $F = B \times I \times l$ (1) $0.045 = 0.72 \times I \times 30 (\times 10^{-3})$ rearrangement (1) $(I =) \frac{F}{B \times l}$ OR $\frac{0.045}{0.72 \times 30 (\times 10^{-3})}$ evaluation (1) 2.1 (A)	rearrangement and substitution can be in either order $(I =) \frac{45}{21.6}$ accept answers that round to 2.1 (A) accept final value rounded down to 2 leave POT until final evaluation award full marks for the correct answer without working	(3)

(Total for Question 5 = 9 marks)

Question Number:	Answer	Additional guidance	Mark
6(a)(i)	<p>a diagram that has the meter connected across the ends of a coil and a magnet orientated parallel to the axis of the coil; for example</p>  <p>The diagram shows a permanent magnet on the left with its South (S) and North (N) poles labeled. To its right is a cylindrical coil with red wire wrapped around it. The two ends of the coil are connected by red wires to a circular meter with a needle and a scale.</p>	poles need not be labelled	(1)

Question Number:	Answer	Additional guidance	Mark
6(a)(ii)	<p>An explanation linking</p> <p>move magnet towards coil and then away from coil (1)</p> <p>with</p> <p>note change in 'direction' of <b>meter</b> (1)</p> <p>move magnet quickly then slowly (1)</p> <p>with</p> <p>larger / smaller <b>meter</b> reading (1)</p>	<p>change poles of magnet</p> <p>allow use of <math>\pm</math> in digital meters</p> <p>change speed of movement of magnet or changes to the number of turns</p> <p>ignore changes to size/strength of magnet</p>	(4)

Question Number	Answer	Additional guidance	Mark
6(b)(i)	A description that makes reference to  an alternating /changing current (1)  in the primary coil (1)	ignore references to voltage / potential difference  AC accept switch on or off	(2)

Question Number	Answer	Additional guidance	Mark
6(b)(ii)	substitution into $\frac{V_p}{N_p} = \frac{V_s}{N_s}$ (1)  $\frac{230}{2000} = \frac{15}{N_s}$  rearrangement (1)  $(N_s =) \frac{2000 \times 15}{230}$  evaluation (1)  130 (turns)	rearrangement and substitution can be in either order  $\frac{230}{15} = \frac{2000}{N_s}$  using $\frac{V_p}{V_s} = \frac{N_p}{N_s}$  accept answers that round to 130 or 131 (arising from rounding of intermediate evaluations)  award full marks for the correct answer without working	(3)

**(Total for Question 6 = 10 marks)**

Question Number	Answer	Additional guidance	Mark
7(a)	<p>A description including:</p> <p>find mass of marble(s) (1)</p> <p>put marble(s) into water (in cylinder) and measure <b>change</b> in water level (1)</p> <p>divide mass by volume (1)</p> <p>suitable idea to improve accuracy such as use several marbles (1)</p>	<p>weigh marble(s)</p> <p>accept volume for water level note level before and after marble(s) added</p> <p>find <b>volume</b> of water displaced</p> <p>density = mass/volume in words or symbols</p> <p>subtract mass of bag from total mass of marbles and bag</p> <p>ensure water measured at eye level</p> <p>use appropriately sized measuring cylinder</p> <p>ignore reference to repeating and taking average</p>	(4)



Question Number	Answer	Additional guidance	Mark
7(b)(ii)	substitution into $Q = m \times L$ (1)  $0.34 = 0.15 \times L$  re-arrangement and evaluation (1)  $(L = \frac{0.34}{0.15} = )$  2.3 (MJ/kg)	allow values that round to 2.3 (MJ/kg)  allow 1 mark for POT error  award full marks for the correct answer without working	(2)



Question Number	Answer	Additional guidance	Mark
7(b)(iii)	<p>A description that makes reference to any <b>two</b> of the following</p> <p>(density) increases between 0°C and 4°C (1)</p> <p>reaches a maximum at 4°C (1)</p> <p>(density) decreases above 4°C (1)</p>	<p>increases initially / at first / up to 4°C</p> <p>then decreases</p> <p>if no other marks scored then credit reference to large volume means low density (OWTTE) for 1 mark only</p>	(2)

---

**(Total for Question 7 = 11 marks)**

Question Number	Answer	Additional guidance	Mark
8(a)(i)	recall (1) $(P =) \frac{E}{t}$  substitution and evaluation (1) (P=) 75 (W)	P = work done ÷ time $P = \frac{45}{0.6}$   award full marks for the correct answer without working	(2)

Question Number	Answer	Additional guidance	Mark
8(a)(ii)	substitution into $E = \frac{1}{2} \times k \times x^2$ (1)  $45 = \frac{1}{2} \times 140 \times x^2$  rearrangement (1)  $(x =) \sqrt{\frac{2 \times 45}{140}}$  evaluation (1) 0.8(0) (m)	allow substitution and rearrangement in either order   $x^2 = \left(\frac{E}{0.5k} =\right) \frac{2 \times 45}{140}$  $x^2 = 0.64(28571)$  accept values that round to 0.80 e.g. 0.80178  award full marks for the correct answer without working	(3)

Question Number	Answer	Additional guidance	Mark
8(b)(i)	<p>A description including any one from the following (1)</p> <p><b>measure</b> a length or a specific distance related to the rubber or weights on a hanger OR with a <b>named device</b> (e.g. metre rule / stick / ruler / measuring tape) OR note position of a fixed point on rubber / weight carrier</p> <p><b>AND</b></p> <p>extension calculated / measured as the change in or difference between two positions or lengths or extensions (1)</p>	<p>evidence may be taken from additions to the diagram</p> <p>ignore vague statements such as see how it much it extends</p>	(2)

Question Number	Answer	Additional guidance	Mark
8(b)(ii)	<p>An explanation linking</p> <p>graph of rubber band is non-linear / curved / not directly proportional (1)</p> <p>graph for unloading does not go through same points as loading (1)</p>	<p>(graph for) spring would be straight</p> <p>(graph for) spring would only have one line / go through the same points</p> <p>ignore reference to returning to original shape / length</p>	(2)

Question Number:	Answer	Additional guidance	Mark
8(c)	An answer that includes  <b>difference</b> in energy transferred / work done (when loading and unloading) (1)  transferred to thermal energy (store in the rubber) (1)	          (thermal) energy is dissipated to the surroundings	(2)

---

**(Total for Question 8 = 11 marks)**

Question Number	Answer	Additional guidance	Mark
9(a)(i)	<p>recall (1)</p> $(P =) \frac{F}{A}$ <p>re-arrangement and evaluation (1)</p> $A = 0.62 \text{ (m}^2\text{)}$	<p>accept for recall</p> $66\,000 = \frac{41\,000}{A}$ <p>or</p> $A = \frac{41\,000}{66\,000}$ <p>allow values that round to 0.62 e.g. 0.621</p> <p>award full marks for the correct answer without working</p>	(2)

Question Number	Answer	Additional guidance	Mark
9(a)(ii)	<p>substitution into <math>P = h \times \rho \times g</math> (1)</p> $66000 = h \times 1000 \times 10$ <p>re-arrangement and evaluation (1)</p> $(h =) 6.6 \text{ (m)}$	<p>award substitution mark if it is clear that all values have been substituted</p> $(h = \frac{66\,000}{1\,000 \times 10})$ <p>award full marks for the correct answer without working</p>	(2)

Question Number	Answer	Additional guidance	Mark
9(a)(iii)	<p>An explanation linking</p> <p>the pressure at the bottom of the block is greater than the pressure at the top of the block (for the same area) (1)</p> <p>the force on the bottom is greater than the force on the top (1)</p>	<p>accept in terms of weight of fluid displaced</p> <p>the block displaces some water</p> <p>weight of water displaced is less than weight of (same volume) of concrete</p> <p><b>or</b></p> <p>water is less dense than concrete</p> <p>allow the upthrust (of water) is equal to the weight of the water displaced</p> <p>for <b>2</b> marks</p>	<b>(2)</b>

Question Number	Answer	Mark
*9(a)(iv)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p><b>Between 0 and 120 seconds</b></p> <ul style="list-style-type: none"> <li>• the (apparent) weight of the block is less than in air (AO2)</li> <li>• force in the cable is less (than weight of block) (AO3)</li> <li>• force remains constant because upthrust is constant (AO3)</li> <li>• upthrust is constant because submerged volume of block is constant (AO3)</li> <li>• upthrust = <math>(17.0 - 10.2) = 6.8 \text{ kN}</math> (AO3)</li> <li>• lifting speed = (distance for top to reach surface / time to start to emerge) = <math>6.6 / 120 = 0.055 \text{ m/s}</math></li> </ul> <p><b>Between 120 and 140 seconds</b></p> <ul style="list-style-type: none"> <li>• block is emerging from water (AO3)</li> <li>• less volume of the block remaining submerged (AO2)</li> <li>• upthrust is reducing (AO3)</li> <li>• force in the cable is increasing (AO2)</li> <li>• it takes 20 seconds to fully emerge from water (AO3)</li> <li>• height of block = lifting speed x time for top emerge = <math>0.055 \times 20 = 1.1 \text{ m}</math> (AO3)</li> </ul> <p><b>140 seconds onwards</b></p> <ul style="list-style-type: none"> <li>• block is clear of the water (AO3)</li> <li>• no upthrust (from water) on the block (AO2)</li> <li>• force in cable is equal to weight of block (AO2)</li> <li>• force is constant because weight is constant (AO2)</li> <li>• mass of block = weight in air / 10 = <math>17000 / 10 = 1700 \text{ kg}</math> (AO3)</li> <li>• height of lorry = lifting speed x time to reach end of lift = <math>0.055 \times 30 \text{ s} = 1.7 \text{ m}</math> (AO3)</li> </ul> <p><b>At all times</b></p> <ul style="list-style-type: none"> <li>• (speed is constant) so no force required to accelerate the block (AO2)</li> <li>• so force is resultant of weight and upthrust (AO2)</li> </ul> <p><b>Other calculations are possible, eg:</b></p> <ul style="list-style-type: none"> <li>• Volume of block = height x area = <math>1.1 \times 0.62 = 0.68 \text{ m}^3</math></li> <li>• Density of block = <math>1700 / 0.68 = 2500 \text{ kg/m}^3</math></li> </ul>	(6)

Descriptor
<ul style="list-style-type: none"><li>• No awardable content</li></ul>
<ul style="list-style-type: none"><li>• Interpretation and evaluation of the information attempted but will be limited with a focus on mainly just one variable. Demonstrates limited synthesis of understanding. (AO3)</li><li>• The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2)</li></ul>
<ul style="list-style-type: none"><li>• Interpretation and evaluation of the information on both variables, synthesising mostly relevant understanding. (AO3)</li><li>• The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2)</li></ul>
<ul style="list-style-type: none"><li>• Interpretation and evaluation of the information, demonstrating throughout the skills of synthesising relevant understanding. (AO3)</li><li>• The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. (AO2)</li></ul>



### Summary for guidance

Level	Mark	Additional Guidance	General additional guidance - the decision within levels e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.
	0	No rewardable material.	
Level 1	1-2	<u>Additional guidance</u> Isolated facts with limited quantitative work e.g. identifies the change in lifting force and gives a reason why it changes.	<u>Possible candidate responses</u> The lifting force increases because the block is being lifted out of the water
Level 2	3-4	<u>Additional guidance</u> Limited explanation that includes extracting data (from either one section of the graph or elsewhere in the question) to provide a reason why the force changes	<u>Possible candidate responses</u> Between 120 and 140s the lifting force increases. This is because the block is being lifted out of the water and there is less upthrust.
Level 3	5-6	<u>Additional guidance</u> Detailed explanation that includes calculation(s) relevant to one section of the graph and correct explanation relevant to the middle section and one other section.	<u>Possible candidate responses</u> When underwater, the lifting force is smaller because of upthrust from the water. The upthrust = $17 - 10.2 = 6.8$ kN The lifting force increases after 120s because it is being lifted out of the water and the upthrust is getting smaller.

**(Total for Question 9 = 12 marks)**

Question Number	Answer	Additional guidance	Mark
10(a)(i)	<p>recall and substitution into <math>P = I^2 \times R</math> (1)</p> <p><math>130 = 14^2 \times R</math></p> <p>rearrangement (1)</p> $R = \frac{130}{14^2}$ <p>evaluation to <b>2 sig fig</b> (1)</p> <p><math>(R = ) = 0.66 \text{ } (\Omega)</math></p>	<p>substitution and rearrangement may be in either order</p> <p>alternative route:</p> $V \left( = \frac{P}{I} \right) = \frac{130}{14} \text{ OR } 9.3 \text{ V}$ <p>(1)</p> $R \left( = \frac{V}{I} \right) = \frac{9.3}{14}$ <p>(1)</p> <p>award full marks for the correct answer without working</p> <p>award 2 marks for 0.663.. or 0.67</p>	<b>(3)</b>

Question Number	Answer	Additional guidance	Mark
10(a)(ii)	<p><b>rate</b> of flow of charge in the immersion heater is greater than in the kettle / heating element (1)</p> <p>the direction of the flow of charge in the kettle / heating element keeps changing (whereas it remains in the same direction in the immersion heater) (1)</p>	<p>accept reverse arguments</p> <p>more charge per second in the immersion heater</p> <p>allow (in this context) faster (rate of) flow in immersion heater</p> <p>14 coulombs per sec in immersion heater and 8.3 coulombs per sec in kettle / heating element</p> <p>flows both ways in the kettle / heating element (one way in the heater)</p> <p>simply referring to alternating current and direct current is not enough</p>	<b>(2)</b>

Question Number	Answer	Mark
*10(b)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p style="text-align: center;">AO1(6 marks)</p> <p>AO1</p> <p>Earth</p> <ul style="list-style-type: none"> <li>• earth wire connected to metal case</li> <li>• metal case is a conductor</li> <li>• (when live touches case) resistance between live and earth is very low</li> <li>• (very) large current to earth through (low resistance) earth wire</li> <li>• case is kept at same potential as earth</li> <li>• so cannot get a shock if (earthed) person touches metal case</li> </ul> <p>Fuse</p> <ul style="list-style-type: none"> <li>• made of thin wire</li> <li>• fuse connected between live pin and wire to kettle</li> <li>• temperature of wire depends on current in it</li> <li>• when the current is (very) large, the temperature of the wire increases beyond melting point of wire</li> <li>• fuse (wire) breaks</li> <li>• disconnects mains supply to kettle</li> <li>• prevents damage to house wiring</li> <li>• (now) there is no possibility of live wire in kettle being at mains voltage</li> </ul>	(6)

Descriptor
<ul style="list-style-type: none"> <li>• No rewardable material.</li> </ul>
<ul style="list-style-type: none"> <li>• Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1)</li> <li>• Presents an explanation with some structure and coherence. (AO1)</li> </ul>
<ul style="list-style-type: none"> <li>• Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1)</li> <li>• Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)</li> </ul>
<ul style="list-style-type: none"> <li>• Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1)</li> <li>• Presents an explanation that has a well-developed structure which is clear, coherent and logical. (AO1)</li> </ul>

### Summary for guidance

Level	Mark	Additional Guidance	General additional guidance - the decision within levels
	0	No rewardable material.	e.g. - At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.
Level 1	1-2	<u>Additional guidance</u> isolated facts about either fuse or earth	<u>Possible candidate responses</u> The fuse blows when there is a fault. The earth stops you from getting shock
Level 2	3-4	<u>Additional guidance</u> facts about fuse and earth that are linked to provide an explanation of the operation of either the fuse or the earth.  OR a well-developed explanation of the operation of fuse or earth	<u>Possible candidate responses</u> The earth wire is connected to the (metal) case of the kettle. The wire in fuse melts when current becomes too big.  OR A large current flows through the wires in the kettle. The wire in the fuse heats up and melts. This disconnects the kettle from the mains supply.
Level 3	5-6	<u>Additional guidance</u> explanation of the operation of both the fuse and the earth  one explanation may be more developed than the other but both fuse and earth must be explained.	<u>Possible candidate responses</u> A large current flows through the wires in the kettle. The wire in the fuse heats up and melts. The earth wire keeps (exposed) metal parts at earth potential and prevents shocks

**(Total for Question 10 = 11 marks)**



